

IIII.04.3


white polyester with metal fabric stretched around bended rods
containing the led tape of 330 cm 30Watt

2700K CRI97+ 24V 9,6W 1050LM/m 112 leds p/m

300 cm clear coated PA current carrying steel cable, length adjustable
with cablegliders

weight 3kg

Canopy black or white



IIII.04.4


golden coloured polyester with metal fabric stretched around bended rods containing the led tape of 330cm 30Watt

2300K CRI97+ 24V 9,6W 950LM/m 112 leds p/m

300 cm clear coated PA current carrying steel cable, length adjustable with cablegliders

weight 3kg

Canopy black or white



IIII.04.5


white polyester with metal fabric stretched around bended rods
containing the led tape of 500 cm 50 Watt

2700K CRI97+ 24V 9,6W 1050LM/m 112 leds p/m

300 cm clear coated PA current carrying steel cable, length adjustable
with cablegliders

weight 3kg

Canopy black or white



IIII.04.6


golden coloured polyester with metal fabric stretched around bended rods containing the led tape of 500 cm 50 Watt

2300K CRI97+ 24V 9,6W 950LM/m 112 leds p/m

300 cm clear coated PA current carrying steel cable, length adjustable with cablegliders

weight 3kg

Canopy black or white



IIII.04.7


white polyester with metal fabric stretched around bended rods
containing the led tape of 330 cm 30Watt

2700K CRI97+ 24V 9,6W 1050LM/m 112 leds p/m

300 cm clear coated PA current carrying steel cable, length adjustable
with cablegliders

weight 3kg

Canopy black or white



IIII.04.8


golden coloured polyester with metal fabric stretched around bended rods containing the led tape of 330cm 30Watt

2300K CRI97+ 24V 9,6W 950LM/m 112 leds p/m

300 cm clear coated PA current carrying steel cable, length adjustable with cablegliders

weight 3kg

Canopy black or white



IIII.04.9


white polyester with metal fabric stretched around bended rods
containing the led tape of 500 cm 50 Watt

2700K CRI97+ 24V 9,6W 1050LM/m 112 leds p/m

300 cm clear coated PA current carrying steel cable, length adjustable
with cablegliders

weight 3kg

Canopy black or white



IIII.04.10

golden coloured polyester with metal fabric stretched around bended rods containing the led tape of 500 cm 50 Watt


2300K CRI97+ 24V 9,6W 950LM/m 112 leds p/m

300 cm clear coated PA current carrying steel cable, length adjustable with cablegliders

weight 3kg

Canopy black or white

W 300 mm



IIII.04.1


white polyester with metal fabric stretched around bended rods
containing the led tape of 500 cm 50 Watt

2700K CRI97+ 24V 9,6W 1050LM/m 112 leds p/m

Black metal base

200cm clear coated electrical cable

W 300 mm



IIII.04.2

golden coloured polyester with metal fabric stretched around bended rods containing the led tape of 500 cm 50 Watt

2300K CRI97+ 24V 9,6W 950LM/m 112 leds p/m

Black metal base

200cm clear coated electrical cable

weight 3kg

Canopy black or white